

For over 30 years SURGI SKILL has been devoted to providing its customers with the highest quality Electrosurgical, Surgical, Dental, Beauty, Podiatry, Veterinary and Single Use Instruments.

SURGI SKILL is committed to provide you with the highest quality instruments. We are the original equipment manufacturer (OEM) for all above mention instruments.

Our production depth covers thousands of instruments ranging from the typical instruments use in clinic to sophisticated instruments required during surgeries. We deem, however, pertinent to submit further that the range and scope of our production activities is not limited to our production literature. We can produce instruments even if not depicted in our online catalogues. We receive samples, photos or references from the world-renowned companies catalogues.

QUALITY/ INNOVATION

At SURGI SKILL the quality is set in motion through motivated specifications planning by trained technical persons. The computer added design and imaging provide visual instruments a set configuration. This simplifies each aspect of instruments manufacturing.

QUALITY CERTIFICATIONS:

We are ISO 9001:2015, ISO 13485:2016, CE MARK, CGMP approved.

COMMITMENT:








Our commitment is to meet the changing needs of healthcare systems and to lead the industry by providing quality surgical instruments and dental instruments at competitive price.

We understand the diverse needs of our customers and know that quality along with delivery time are the most important and common requirements of our customers from both segments. This Realization allows us to serve our customers in the most efficient and cost effective manners.

Wish you all the Best.

SURGI SKILL Team

European Bipolar Forceps	01 - 07
European Irrigation Bipolar Forceps	08
European Non-Stick Bipolar Forceps	09 - 12
USA 2 Pin Bipolar Forceps	13 - 16
UAA 2-Pin Non-Stick Bipolar Forceps	17 - 19
Silver Glide Non-Stick Bipolar Forceps	20 - 22
Single Use USA 2-Pin Bipolar Forceps	23 - 25
Single Use European Bipolar Forceps	26 - 27
Monopolar Cables	28
Bipolar Forceps Cables	29
Diathermy Instruments	30 - 31
Bipolar Artery Sealer	32
Bipolar Electrodes	33
Electrodes 2.4mm	34
Conization Electrodes	35
Electrodes 4.0mm	36
Patient Return Plate	37
Laparoscopic Electrodes	38
Electrosurgical Instruments for Gynecology	39 - 42

McPherson (Str.)		SS-8001
L= 9.0 cm		
Tip 0.5 mm		
McPherson (crv.)		SS-8002
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8003
L= 11.5 cm		
Tip 0.0 mm		
Adson		SS-8003
L= 12.1 cm		
Tip 0.1 mm		
Jeweler # 4		SS-8004
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 7		SS-8005
L= 11.5 cm		
Tip 0.5 mm		
Coaptation		SS-8006
L= 10.8 cm		
Tip 0.5 mm		

EUROPEAN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Coaptation Nadler

L= 10.2 cm

Tip 0.5 mm



SS-8007

Iris (Str.)

L= 10.2 cm

Tip 0.5 mm



SS-8008

Iris (crv.)

L= 10.8 cm

Tip 1.0 mm



SS-8009

Straight

L= 16.0 cm

Tip 1.0 mm



SS-8010

Straight

L= 18.0 cm

Tip 1.0 mm



SS-8011

Straight

L= 20.0 cm

Tip 1.0 mm



SS-8012








Straight

L= 22.0 cm

Tip 1.0 mm



SS-8013

<p>Straight (Ang.)</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8014</p>
<p>Straight (Ang.)</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8015</p>
<p>Straight (Ang.)</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8016</p>
<p>Straight (Ang.)</p> <p>L= 22.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8017</p>
<p>Bayonet</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8018</p>
<p>Bayonet</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8019</p>
<p>Bayonet</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>	 <p>SS-8020</p>

EUROPEAN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



SS-8021

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



SS-8022

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



SS-8023

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



SS-8024

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



SS-8025

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



SS-8026








McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



SS-8027








McPherson (crv.)		SS-8028
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8029
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8030
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 7		SS-8031
L= 11.5 cm		
Tip 0.5 mm		
Adson		SS-8032
L= 12.1 cm		
Tip 1.0 mm		
Straight		SS-8033
L= 16.0 cm		
Tip 1.0 mm		
Straight		SS-8034
L= 18.0 cm		
Tip 1.0 mm		

EUROPEAN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Straight		SS-8035
L= 20.0 cm		
Tip 1.0 mm		
Straight		SS-8036
L= 22.0 cm		
Tip 1.0 mm		
Straight (Ang.)		SS-8037
L= 16.0 cm		
Tip 1.0 mm		
Straight (Ang.)		SS-8038
L= 18.0 cm		
Tip 1.0 mm		
Straight (Ang.)		SS-8039
L= 20.0 cm		
Tip 1.0 mm		
Bayonet		SS-8040
L= 16.0 cm		
Tip 1.0 mm		
Bayonet		SS-8041
L= 18.0 cm		
Tip 1.0 mm		

Bayonet		SS-8042
L= 22.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		SS-8043
L= 16.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		SS-8044
L= 18.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		SS-8045
L= 20.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Down)		SS-8046
L= 16.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		SS-8047
L= 18.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		SS-8048
L= 20.0 cm		
Tip 1.0 mm		

EUROPEAN IRRIGATION BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Straight

L= 16.0 cm

Tip 1.0 mm



SS-8049 IR

Straight

L= 20.0 cm

Tip 1.0 mm



SS-8050 IR

Bayonet

L= 16.0 cm

Tip 1.0 mm



SS-8051 IR








Bayonet

L= 20.0 cm

Tip 1.0 mm










SS-8052 IR








McPherson (Str.)		SS-8053 NS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (crv.)		SS-8054 NS
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8055 NS
L= 11.5 cm		
Tip 0.5 mm		
Adson		SS-8056 NS
L= 12.1 cm		
Tip 1.0 mm		
Jeweler # 4		SS-8057 NS
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 7		SS-8058 NS
L= 11.5 cm		
Tip 0.5 mm		
Coaptation		SS-8059 NS
L= 10.8 cm		
Tip 0.5 mm		

EUROPEAN NON-STICK BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Coaptation Nadler		SS-8060 NS
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		SS-8061 NS
L= 10.8 cm		
Tip 0.5 mm		
Iris (crv.)		SS-8062 NS
L= 10.8 cm		
Tip 1.0 mm		
Straight		SS-8063 NS
L= 18.0 cm		
Tip 1.0 mm		
Straight		SS-8064 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		SS-8065 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		SS-8066 NS
L= 22.0 cm		
Tip 1.0 mm		

<p>Straight (Ang.) L= 16.0 cm Tip 1.0 mm</p>	 <p>SS-8067 NS</p>
<p>Straight (Ang.) L= 18.5 cm Tip 1.0 mm</p>	 <p>SS-8068 NS</p>
<p>Straight (Ang.) L= 20.0 cm Tip 1.0 mm</p>	 <p>SS-8069 NS</p>
<p>Straight (Ang.) L= 22.0 cm Tip 1.0 mm</p>	 <p>SS-8070 NS</p>
<p>Bayonet L= 16.0 cm Tip 1.0 mm</p>	 <p>SS-8071 NS</p>
<p>Bayonet L= 18.0 cm Tip 1.0 mm</p>	 <p>SS-8072 NS</p>
<p>Bayonet L= 20.0 cm Tip 1.0 mm</p>	 <p>SS-8073 NS</p>

EUROPEAN NON-STICK BIPOLAR FORCEPS ELECTROSURGICAL INSTRUMENTS



Bayonet (Ang.Up)
L= 16.0 cm
Tip 1.0 mm



SS-8074 NS

Bayonet (Ang.Up)
L= 18.0 cm
Tip 1.0 mm



SS-8075 NS

Bayonet (Ang.Up)
L= 20.0 cm
Tip 1.0 mm



SS-8076 NS

Bayonet (Ang.Down)
L= 16.0 cm
Tip 1.0 mm



SS-8077 NS

Bayonet (Ang.Up)
L= 18.0 cm
Tip 1.0 mm










SS-8078 NS

Bayonet (Ang.Up)
L= 20.0 cm
Tip 1.0 mm










SS-8079 NS








McPherson (Str.)		SS-8080
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv.)		SS-8081
L= 9.0 cm		
Tip 0.5 mm		
Coaptation Nadler		SS-8082
L= 10.8 cm		
Tip 0.5 mm		
Coaptation		SS-8083
L= 10.8 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8084
L= 11.0 cm		
Tip 0.5 mm		
Jeweler # 4		SS-8085
L= 11.5 cm		
Tip 0.5 mm		
Tenzel		SS-8087
L= 11.5 cm		
Tip 0.5 mm		

USA 2 PIN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS







Jeweler # 7		SS-8088
L= 11.5 cm		
Tip 0.5 mm		
Iris (Str.)		SS-8089
L= 10.8 cm		
Tip 0.5 mm		
Iris (Crv.)		SS-8090
L= 10.8 cm		
Tip 1.0 mm		
Adson		SS-8091
L= 12.1 cm		
Tip 1.0 mm		
Semkin		SS-8092
L= 14.0 cm		
Tip 1.0 mm		
Cushing		SS-8093
L= 16.0 cm		
Tip 1.0 mm		
Cushing		SS-8094
L= 11.5 cm		
Tip 1.0 mm		








Cushing (Gursh)		SS-8095
L= 18.0 cm		
Tip 1.0 mm		
Gerald (Str)		SS-8096
L= 17.8 cm		
Tip 1.0 mm		
Gerald (Crv)		SS-8097
L= 17.8 cm		
Tip 1.0 mm		
Gerald Bayonet		SS-8098
L= 17.8 cm		
Tip 1.0 mm		
Jansen Bayonet		SS-8099
L= 15.0 cm		
Tip 1.0 mm		
Jansen Bayonet		SS-8100
L= 18.0 cm		
Tip 1.0 mm		
Malis		SS-8101
L= 17.8 cm		
Tip 1.0 mm		

USA 2 PIN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Scollive Green-Wood		SS-8102
L= 19.1 cm		
Tip 1.5 mm		
Yasargil		SS-8103
L= 19.8 cm		
Tip 1.0 mm		
Hardy Bayonet		SS-8104
L= 12.5 cm		
Tip 1.0 mm		
Hardy Bayonet (Ang)		SS-8105
L= 21.5 cm		
Tip 1.0 mm		

McPherson (Str)		SS-8106 NS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv)		SS-8107 NS
L= 9.0 cm		
Tip 0.5 mm		
Jewelery #5		SS-8108 NS
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 4		SS-8109 NS
L= 11.5 cm		
Tip 0.5 mm		
Adson		SS-8110 NS
L= 12.1 cm		
Tip 1.0 mm		
Semkin		SS-8111 NS
L= 14.0 cm		
Tip 1.0 mm		
Cushing		SS-8112 NS
L= 16.0 cm		
Tip 1.0 mm		

USA 2 PIN NON-STICK BIPOLAR FORCEPS ELECTROSURGICAL INSTRUMENTS



Cushing		SS-8113 NS
L= 18.0 cm		
Tip 1.0 mm		
Gerald Bayonet		SS-8114 NS
L= 17.8 cm		
Tip 1.0 mm		
Jansen Bayonet		SS-8115 NS
L= 18.0 cm		
Tip 1.0 mm		
Scollive Green-Wood		SS-8116 NS
L= 19.1 cm		
Tip 1.5 mm		
Yasargil		SS-8117 NS
L= 19.8 cm		
Tip 1.0 mm		
Hardy Bayonet		SS-8118 NS
L= 21.5 cm		
Tip 1.0 mm		

Semkin

Irrigation



SS-8119 IR

Gerald Bayonet

Irrigation



SS-8120 IR

Jansen Bayonet

Irrigation



SS-8121 IR

Scollive Green-Wood

Irrigation



SS-8122 IR

Hardy Bayonet

Irrigation











SS-8123 IR

SILVERGLIDE NON-STICK BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



McPherson (Str.)		SS-8124 FNS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv.)		SS-8125 FNS
L= 9.0 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8126 FNS
L= 11.5 cm		
Tip 0.5 mm		
Adson		SS-8127 FNS
L= 12.1 cm		
Tip 1.0 mm		
Cushing (Str.)		SS-8128 FNS
L= 16.0 cm		
Tip 1.0 mm		
Jansen Bayonet		SS-8129 FNS
L= 18.0 cm		
Tip 1.0 mm		
Jansen Bayonet		SS-8130 FNS
L= 20.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		SS-8131 FNS
L= 16.0 cm		
Tip 1.0 mm		

Bayonet Full Non-Stick

L= 18.0 cm

Tip 1.0 mm



SS-8132 FNS

Bayonet Full Non-Stick

L= 20.0 cm

Tip 1.0 mm



SS-8133 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



SS-8134 FNS

Bayonet (Irrigation)

L= 20.0 cm

Tip 1.0 mm



SS-8135 FNS

Bayonet (Irrigation)

L= 22.0 cm

Tip 1.0 mm



SS-8136 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



SS-8137 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 0.5 mm



SS-8138 FNS

Bayonet Full Non-Stick

L= 24.0 cm

Tip 1.0 mm











SS-8139 FNS

SILVERGLIDE NON-STICK BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Jeweler # 5		SS-8140 FNS
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8142 FNS
L= 11.5 cm		
Tip 0.5 mm		
Straight Full Non-Stick		SS-8143 FNS
L= 12.0 cm		
Tip 1.0 mm		
Straight (Ang.)		SS-8144 FNS
L= 16.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		SS-8145 FNS
L= 18.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		SS-8146 FNS
L= 20.0 cm		
Tip 1.5 mm		
Bayonet Full Non-Stick		SS-8147 FNS
L= 22.0 cm		
Tip 1.5 mm		
Bayonet Full Non-Stick		SS-8148 FNS
L= 22.0 cm		
Tip 1.0 mm		

Gerald Straight

Single Use



SS-8149 S

Jansen Bayonet

Irrigation



SS-8150 IRS

Jansen Bayonet

Single Use



SS-8151 S

Jeweler # 5

Single Use



SS-8152 S

Adson Forceps

Single Use



SS-8153 S

Cushing Forceps

Size: 16.0 cm

Tip: 1.0 mm



SS-8154 S

Jansen Bayonet ang-up

Size: 20.0 cm

Tip: 1.0 mm











SS-8154 S

SILVERGLIDE NON-STICK BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Jeweler # 5		SS-8155 FNS
L= 11.5 cm		
Tip 0.5 mm		
Jeweler # 5		SS-8156 FNS
L= 11.5 cm		
Tip 0.5 mm		
Straight Full Non-Stick		SS-8157 FNS
L= 12.0 cm		
Tip 1.0 mm		
Straight (Ang.)		SS-8158 FNS
L= 16.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		SS-8159 FNS
L= 18.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		SS-8160 FNS
L= 20.0 cm		
Tip 1.5 mm		
Bayonet Full Non-Stick		SS-8161 FNS
L= 22.0 cm		
Tip 1.5 mm		
Bayonet Full Non-Stick		SS-8162 FNS
L= 22.0 cm		
Tip 1.0 mm		

Jansen Bayonet
 Size: 18.0 cm
 Tip: 1.0 mm



SS-8163 S

Jeweler # 4
 Size: 11.5 cm
 Tip: 0.5 mm



SS-8164 S

Adson Forceps
 Size: 12.1 cm
 Tip: 1.0 mm



SS-8165 S

Jansen Bayonet
 Size: 18.0 cm
 Tip: 1.0 mm



SS-8166 S

Jansen Bayonet
 Size: 20.0 cm
 Tip: 1.0 mm



SS-8167 S

SINGLE USE EUROPEAN BIPOLAR FORCEPS

ELECTROSURGICAL INSTRUMENTS



Bayonet Forceps

Size: 18.0 cm

Tip: 1.0 mm



SS-8173 S

Bayonet Forceps

Size: 20.0 cm

Tip: 1.0 mm



SS-8174 S

Straging Forceps

Size: 20.0 cm

Tip: 1.0 mm



SS-8175 S

Straight Forceps (ang)

Size: 14.0 cm

Tip: 1.0 mm



SS-8176 S

Straight Forceps

Size: 14.0 cm

Tip: 1.0 mm



SS-8177 S

Jeweler # 5

Single Use



SS-8168 S

Straight Forceps

Single Use



SS-8169S

Bayonet Forceps

Single Use



SS-8170 S

Straight Forceps

Single Use



SS-8171 S

Straight Forceps (ang)

Single Use



SS-8172 S

MONOPOLAR CABLES

ELECTROSURGICAL INSTRUMENTS



Silicone Monopolar Cables 10" (3.0m)
SS-8185
Instrument Connector: Screw Type
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



Silicone Monopolar Cables 10" (3.0m)
SS-8186
Instrument Connector: 4.0mm Male Fitting
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators



Silicone Monopolar Endoscopic Cable 10" (3.0m)
SS-8187
Instrument Connector: 4.0mm Female Plug
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



Silicone Monopolar Endoscopic Cable 10" (3.0m)
SS-8188
Instrument Connector: 4.0mm Female Plug
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators



Silicone Diathermy Cable 10" (3.0m)
SS-8189
Instrument Connector: 4.8mm Male Fitting
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



Silicone Diathermy Cable 10" (3.0m)
SS-8190
Instrument Connector: 4.8mm Male Fitting
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators



Silicone Bipolar Cables 10" (3.0m)

SS-8178

Instrument Connector: USA 2-Pin Plug

Generator Connector: 4.0mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olpymus and Mbst Bipolar Generator



Silicone Bipolar Cables 10" (3.0m)

SS-8179

Instrument Connector: European Flat Plug

Generator Connector: Martin Type

Compatibility: Aesculap, Martin, Wolf, Berchold



Silicone Bipolar Cables 10" (3.0m)

SS-8180

Instrument Connector: European Flat Plug

Generator Connector: 4.0mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olpymus & Mbst Bipolar Generator



Silicone Bipolar Cables 10" (3.0m)

SS-8181

Instrument Connector: USA2-Pin Plug

Generator Connector: Martin Type

Compatibility: Aesculap, Martin, Wolf, Berchold



Silicone Bipolar Cables 10" (3.0m)

SS-8182

Instrument Connector: USA2-Pin Plug

Generator Connector: Erbe Type

Compatibility: Eibe, Siemens, Downs



Silicone Bipolar Cables 10" (3.0m)

SS-8183

Instrument Connector: USA2-Pin Plug

Generator Connector: Pin Distance 29.0mm

Compatibility: Valleylab, EMS, Dolley

Silicone Bipolar Cables 10" (3.0m)

SS-8184

Instrument Connector: European Flat Plug

Generator Connector: Pin Distance 29.0mm

Compatibility: Valleylab, EMS, Dolley



DIATHERMY INSTRUMENTS


ELECTROSURGICAL INSTRUMENTS



Turnur Warwick Scissor
(Straight)
SS-8191



Turnur Warwick Scissor
(Curved)
SS-8192



Surgical Scissor
(Straight)
SS-8193



Surgical Scissor
(Curved)
SS-8194



Abbey Sub Needle
17.5cm
SS-8195



Willson Hey Forceps
(Straight)
SS-8196

Richie Forceps
(Straight)
SS-8197











Willson Hey Forceps
(Curved)
SS-8198



Artery Forceps
(Straight)
SS-8199

Artery Forceps
(Curved)
SS-8200



Adson		SS-8201
Mcldone		SS-8202
Gillie		SS-8203
Dissecting Forceps		SS-8204
Gerald (1x2)		SS-8205
Adson Bayonet		SS-8206
Adson Bayonet Angle Up		SS-8207
Remington Hob		SS-8208

BIPOLAR ARTERY SEALER

ELECTROSURGICAL INSTRUMENTS



Artery Forceps Bi-Clamp

SS-8209




Artery Forceps Non Stick

SS-8210




Artery Forceps

SS-8211



Artery Forceps

SS-8212



Silicone Bi-Clamp Connecting cord



Straight

SS-8213



Angled

SS-8214



Angled

SS-8215



Angled 45°

SS-8216



Angled 90°

SS-8217



Bi-Turbinat Probe

Size: 17.5cm

SS-8218

ELECTRODES 2.4MM

ELECTROSURGICAL INSTRUMENTS



Blade Electrode
Disposable: SS-8219



Ball Electrode (3.0 mm)
Disposable: SS-8220



Circle Loop Electrode 4.0 mm
Reusable: SS-8221



Ball Electrode (crv.) (3.0 mm)
Disposable: SS-8222



Blade Electrode (crv.)
Disposable: SS-8223



Circle Loop Electrode 4.0 mm
Reusable: SS-8224



Needle Electrode
Disposable: SS-8225



Ball Electrode (4.0 mm)
Disposable: SS-8226



Circle Loop Electrode 8.0 mm
Reusable: SS-8227



Needle Electrode (crv.)
Disposable: SS-8228



Ball Electrode (crv.) (4.0 mm)
Disposable: SS-8230



Diamond Electrode 8.0 mm
Reusable: SS-8229



Ball Electrode (2.0 mm)
Disposable: SS-8231



Ball Electrode (5.0 mm)
Disposable: SS-8232




Ball Electrode (crv.) (2.0 mm)
Disposable: SS-8233



Ball Electrode (crv.) (5.0 mm)
Disposable: SS-8234



Tip Cleaner SS-8235



Holster SS-8237



Bladeelectrode (Shaft 13.0 cm)
Disposable: SS-8236



Bladeelectrode (Shaft 13.0 cm)
Disposable: SS-8238



Bladeelectrode (Shaft 13.0 cm)
Disposable: SS-8239



Bladeelectrode (Shaft 13.0 cm)
Disposable: SS-8240



Conizationelectrode
Diposable : SS-8241


CONIZATION ELECTRODES

ELECTROSURGICAL INSTRUMENTS




Conization Electrode

Disposable # SS-8242



Conization Electrode

Disposable # SS-8243




Conization Electrode

Disposable # SS-8244



Conization Electrode

Disposable # SS-8245



Conization Electrode

Disposable # SS-8246



Extender Electrode

SS-8247 Size: 7.0 cm



Extender Electrode

SS-8248 Size:13.0 cm



Extender Electrode

SS-8249 Size:18.0 cm

ELECTRODES 4.0MM

ELECTROSURGICAL INSTRUMENTS



Blade Electrode
Reusable SS-8250



Blade Electrode (Crv)
Reusable SS-8252



Needle Electrode
Reusable SS-8254



Needle Electrode (Crv)
Reusable SS-8257



Ball Electrode (2mm)
Reusable SS-8259



Ball Electrode (Crv) (2mm)
Reusable SS-8262



Blade Electrode (Shaft 13.0cm)
Reusable SS-8265



Needle Electrode (Shaft 13.0cm)
Reusable SS-8267



Ball Electrode 3mm (Shaft 13.0 cm)
Reusable SS-8268



Ball Electrode 4mm (Shaft 13.0cm)
Reusable SS-8270



Ball Electrode 5mm (Shaft 13.0cm)
Reusable SS-8271



Ball Electrode
Reusable SS-8251



Ball Electrode (Crv) 3mm
Reusable SS-8253



Ball Electrode (4mm)
Reusable SS-8255



Ball Electrode (Crv) (4mm)
Reusable SS-8258



Ball Electrode (5mm)
Reusable SS-8260



Ball Electrode (Crv) (5mm)
Reusable SS-8263



**Round Loop Electrode
(7.0cm) 4.0mm**
Reusable SS-8256



**Round Loop Electrode
(7.0cm) 6.0mm**
Reusable SS-8259



**Round Loop Electrode
(7.0cm) 8.0mm**
Reusable SS-8261



**Round Loop Electrode
(7.0cm) 10.0mm**
Reusable SS-8264




Plate Electrode Small
Reusable SS-8266



Plate Electrode Large
Reusable SS-8269


Patient Return Plate Reusable
5m Cable # SS-8271



Patient Return Plate Reusable
(5m Cable) SS-8272



Patient Return Cable
SS-8273- a (5m cable)
SS-8274- b (3m Cable)



Patient Return Cable
SS-8275- a (5m cable)
SS-8276- b (3m Cable)



S.S Patient Return Plate
(16x12cm) SS-8277

LAPAROSCOPIC ELECTRODES

ELECTROSURGICAL INSTRUMENTS



WITHOUT SUCTION



SS-8278-Hook Electrode (36cm)



SS-8280-Hook Electrode (36cm)



SS-8282 Needle-Hook Electrode (36cm)



SS-8284 Spatula-Hook Electrode (36cm)



SS-8286 Ball-Hook Electrode (36cm)

WITH SUCTION



SS-8279 L-Hook Electrode (Irrigation) (36cm)



SS-8281 J-Hook Electrode (Irrigation) (36cm)



SS-8283 Needle-Hook Electrode (Irrigation) (36cm)



SS-8285 Spatula-Hook Electrode (Irrigation) (36cm)



SS-8287 Ball-Hook Electrode (Irrigation) (36cm)

Laparoscopic Electrodes





Graves Vaginal Speculum
with smoke evacuation tube
Small: SS-8288
Medium: SS-8289
Large: SS-8290



VU-Max Speculum
with smoke evacuation tube
Small: SS-8291
Medium: SS-8292
Large: SS-8293



Pederson Vaginal Speculum
with smoke evacuation tube
Small: SS-8294
Medium: SS-8295
Large: SS-8296



VU-More (Graves) Speculum
with smoke evacuation tube
Small: SS-8300
Medium: SS-8301
Large: SS-8302

Cusco Speculum
with smoke evacuation tube
Small: SS-8297
Medium: SS-8298
Large: SS-8299



Collin Speculum
with smoke evacuation tube
Small: SS-8303
Medium: SS-8304
Large: SS-8305





**Weisman Speculum
with Suction (Left Open)**
Small: SS-8306
Medium: SS-8307
Large: SS-8308



**Weisman Speculum
with Suction (Right Open)**
Small: SS-8309
Medium: SS-8310
Large: SS-8311



Dressing Forceps
SS-8312 (21.0 cm)
SS-8313 (25.0 cm)



Tissue Forceps
SS-8314 (21.0 cm)
SS-8315 (25.0 cm)



Iris Hook
SS-8316 (25.0 cm)



Emmet Hook
SS-8317 (25.0 cm)



Straight Hook
SS-8318 (25.0 cm)



Two-Prong Hook
SS-8319 (25.0 cm)





**Lateral Vaginal
Retractor - SS-8320**



**Kogan Endocervical
Speculum - SS-8321**



**Lateral Vaginal Retractor
(wide-Open) SS-8322**



**Rigby Retractor
SS-8323**



**Rigby Retractor
SS-8324**



3mm SS-8325



4mm SS-8326



3mm SS-8327




**Kogan Endocervical
Speculum**
SS-8329

**Lateral Vaginal
Retractor**
SS-8328



**Graves Speculum
with smoking evacuation tube**
Small: SS-8330
Medium: SS-8331
Large: SS-8332



**Pederson Graves Speculum
with smoking evacuation tube**
Small: SS-8336
Medium: SS-8337
Large: SS-8338

**Collin Speculum
with smoking evacuation tube**
Small: SS-8333
Medium: SS-8334
Large: SS-8335





Add: Soulach Park, Kashmir Road,
Pacca Garha, Sialkot - 51310,
Pakistan.Tel: 0092-52-4352070
Whatsapp: 0092-344-6481581
Email: info@surgi-skill.com
Email: surgiskill2026@gmail.com